


VIN NOURISHING INFORMATION AND FOODS

Yin is the energy within the body that is responsible for moistening and cooling. Yin and Yang need to be in balance within the body to achieve homeostasis, therefore if Yin energy is depleted you will show signs of "heat" in the form of "empty heat" as the Yang energy, which is warming and moving, is predominate. Therefore the guidelines for eating Yin Nourishing foods are:

- Consume cooling foods and dairy products in moderation
- Eat more foods that are sweet, sour and salty
- Avoid foods that are stimulating as they will further deplete the yin. This includes caffeine, alcohol, sugar and strong heating/pungent spices.
- As yin building foods also have the tendency to cause congestion within the spleen and promote stagnation it is important to consume small quantities frequently rather than large helpings irregularly.





FRUIT & VEGETABLES

• Pea's	• Plantain	Apple	• Pear
 Zucchini 	Potato	 Apricot 	Persimmon
• Alfalfa	String Bean	Avocado	Pineapple
Sprouts	Sweet Potato	• Banana	Pomegranate
• Artichoke	• Tomato	Lemon/Lime	Watermelon
 Asparagus 	• Water	• Mango	
 Mungbean 	chestnut	Mulberry	
• Sprout	• Yam		

NUTS AND SEEDS

Coconut milk	• Sesame (black)	• Walnut
• Pine nuts	• Sesame (white)	

MEAT & FISH

 Fresh and Saltwater Clam Beef Duck 	 Freshwater Shrimp Crab Goose 	CuttlefishOctopusOysterPork	SharkSardine
--	--	--	---





DAIRY

• Cheese	Duck Egg
Chicken Egg	Cow's Milk

HERBS AND SPICES / COMMON SUPPLEMENTS / OILS & CONDIMENTS

, , , , , , , , , , , , , , , , , , ,	nseng merican) • Royal Jelly • Honey	• Malt
---------------------------------------	--	--------





YANG WARMING & NOURISHING INFORMATION AND FOODS

Yang energy is responsible for warming and activating bodily functions. When your Yang is depleted your body will show signs of slowing down therefore resulting in underactivity and sensations of coldness.

Therefore the guidelines for eating Yang Nourishing foods are:

- Avoid foods that will further drain the body's yang energy such as cold foods and liquids. This includes those directly taken from the fridge but also to raw foods as these require extra energy for digestion compared to pre-cooked foods.
- Avoid microwave cooking, cold foods and liquids and processed foods
- Avoid extreme cold or hot foods
- Using a warming method of cooking will also enhance the body's energy by preserving yang, therefore soups, porridges and slow roasted foods are suggested.

GRAINS / NUTS & SEEDS

 Quinoa Sweet (Glutinous Rice) 	Wheat GermChestnut	PistachioWalnut	• Pine nuts
	Excess Normal Deficiency	Yang Yin	



FRUIT & VEGETABLES

 Leek Mustard Greens Onion Radish Scallion Squash Sweet Potato Turnip 	 Watercress Chinese Chive Raspberry Cherry 	 Litchi Logan Peach Raspberry Strawberry
--	---	---

MEAT & FISH

HERBS AND SPICES



BEVERAGES / COMMON SUPPLEMENTS

• Chai tea

• Brown sugar

Vinegar

- Jasmine tea
- Malt sugar

NOURISHING BLOOD

Blood is nourishing and moistening in property and as we say it "follow's the qi," resulting in qi playing a vital role in the circulation of blood through-out the body. Your digestive system is also very important in the production of blood so attention is focused on ensuring its strength so that it is able to successfully obtain nutrients from your food to produce blood.

GRAINS & BEANS

BarleyCorn	 Wheat Bran Aduki
Oats Rice	Black beanKidney Bean
Sweet Rice	• Runcy Dean





FRUIT & VEGETABLES

- Alfalfa
- Sprouts
- Artichoke
- Beetroot
- Button
- Mushroom
- Cabbage
- Celery
- Dark leafy green's
- Shitake mushroom
- Spinach

- Watercress
- Apricot
- Avocado
- Date
- Fig
- Grape
- Longan
- Lychee
- Mulberry

DAIRY / NUTS AND SEEDS

- Almonds
- Black sesame
- Chicken Egg's





MEAT & FISH

- Mussel
- Shark
- Cuttlefish
- Octopus
- Oyster
- Tuna
- All red meat especially bone marrow and liver (beef, pork and sheep)
- Chicken

HERBS AND SPICES / OILS & CONDIMENTS / BEVERAGES

- Nettle
- Parsley
- Amasake
- Molasses
- Soya milk





QI DEFICIENCY

Qi is otherwise known as the body's energy which flows around your body using a series of pathways called meridians which influence your body functions. Qi is a combination of your genetic makeup at conception and your lifestyle since birth, including your intake of both food and air. Qi deficient people tend to be drawn to sweet foods, whether simple sugars, carbohydrates or protein and should avoid microwave cooking, cold foods, cold liquids, dairy and processed foods as this makes the body work harder to digest the foods thus using more qi.

BEANS & GRAINS

Oats Wheat bran I	Buckwheat• ChickpeasLentil• Kidney beansBlack soya• Tofu
---------------------------	--

FRUITS & VEGETABLES

 Asparagus Button Mushroom Cabbage Eggplant Potatoes Tomato 	 Yam Apple Cherry Coconut Date 	FigGrapeLogan
--	---	---

J



NUTS AND SEEDS

- Almond
- Black sesame seeds
- Peanut
- Walnut

MEAT & FISH

 Eel Herring Mackerel Mussel Octopus 	 Oyster Sturgeon Trout Beef Chicken 	 Chicken Liver Duck Goose Ham Mutton 	 Pheasant Pigeon Quail Rabbit Shark
Octopus	Chicken	• Mutton	• Shark

HERBS AND SPICES / OILS & CONDIMENTS / SUPPLEMENTS

- Bay
- Liquorice
- Barley malt
- Honey
- Molasses
- Algae
- Gingseng
- RoyaL Jelly





COUNTERACTS DAMP

Dampness can be due to either the body's digestive system's inability to transport and transform fluids or from the body being overwhelmed by external damp from the environment in the form of weather or damp living conditions. It is also able to arise from a response to an illness or from the overuse of medication that promotes dampness such as certain antibiotics. Foods to avoid include:

- Dairy Products such as milk, cheese and ice cream as well as products that contain high amounts of dairy products. (Milk Chocolate)
- Pork and rich fatty meats
- Concentrated fruit jucies
- Excess refined wheat products
- Bananas
- Sugar and sweeteners
- Saturated fats, especially deep fried foods

As dampness is linked to your digestive system it is important to nourish the spleen, meaning that the consumption of raw, cold, sugary or fatty foods must be limited to ensure further injury to the spleen is avoided.

BEANS & GRAINS

• Corn	Basmati Rice
• Barley	Aduki, lentils



FRUIT & VEGETABLES

- Alfalfa sprout Button mushroom
 - Caper
 - Chillies
 - Corn
 - Pumpkin

- Radish
- Turnip
- Papaya
- Lemon
- Umeboshi plum
- FISH

- Eel
- Tuna
- Crap
- Oyster
- Duck

HERBS & SPICES

Aniseed	• Marjoram
• Garlic	• Parsley
Horseradish	White Pepper

BEVERAGES

- Green tea
- Raspberry leaf tea
- Jasmine tea



TO RESOLVE DAMP HEAT

- Asparagus
- Buckwheat
- Celery
- Chinese Cabbage
- Blueberry
- Cranberry
- Kidney Beans

- Tamarind
- Peppermint
- Lotus Leaves
- Coix Seed
- Soya Bean Sprouts
- Jasmine

TO RESOLVE PHLEGM

- Button Mushrooms
- Olive
- Radish
- Shitake Mushroom
- Watercress
- Almonds
- Walnuts
- Lobster
- Cardamon

- Garlic
- Horseradish
- Marjoram
- Mustard Seed
- Thyme
- White pepper
- Black Tea
- Soya Milk
- Peanuts

TO RESOLVE PHLEGM WITH HEAT

- Seaweed
- Water Chestnut
- Apple Peel
- Grape Fruit

- Liquorice
- Elderflower Tea
- Grapefruit Juice
- Peppermint Tea



- Lemon Peel
- Pear
- Persimmon
- Tangerine Peel

- Kumquat
- Turnip
- Kelp

TO RESOLVE PHLEGM WITH COLD

- Mustard Leaf
- Onion
- Basil
- Black Pepper
- Cinnamon Bark
- Fennel Seeds
- Fresh Ginger

- Juniper
- Onion
- Rosemary
- Jasmine Tea
- Ginger tea
- Mustard Greens
- Pumpkin

TO RESOLVE INTERNAL HEAT

Full heat arises when the excessive heat has overwhelmed the yin energy of the body causing heat to arise either via environmental circumstances, poor lifestyle choices (smoking) or the intake of excessive heat producing foods and drinks (alcohol, coffee). Therefore it is important in these cases to avoid food and drink that will produce further heat and stimulation including caffeine, alcohol, sugar and strong heating/pungent spices. Foods that are useful for removing heat include:



BEANS & GRAINS

• Barley	• Millet	• Kidney bean	• Tofu
Buckwheat	• Wheat	Mung bean	

FRUIT & VEGETABLES

MEAT & FISH

 Abalone Blackened Chicken Freshwater and Saltwater Clam Crab 	OctopusOysterQuail
---	--



DAIRY

• Egg white from a Chicken

HERBS & SPICES / OILS & CONDIMENTS

- Licorice
- Tamarind
- Sesame oil
- Agar
- Salt

BEVERAGES / COMMON SUPPLEMENTS

- Chrysanthemum
- Dandelion root
- Elderflower
- Lime flower
- Kelp





TO RESOLVE INTERNAL COLD

Full cold occurs when the body's yang energy has been overwhelmed by excess cold. This can occur as a result from exposure to excess cold from the environment, the intake of excess cold food and drink or as a result of an illness in which the initial cold pathogen has not been resolved. It is important to avoid consuming large quantities of raw and cool/cold foods to maintain regular physical exercise, wear warm clothing and use warmth on cold or painful areas. The use of warming methods of food preparation and the consumption of foods that resolve internal cold will also assist in the clearing of internal cold.

GRAINS / NUTS & SEEDS

- Sorghum
- Coconut milk
- Pine kernel
- Walnut

FRUIT & VEGETABLES

 Caper Chillies Leek Mustard Greens Mustard Loaf 	 Squash Sweet potatoes Turnip Cherry Longan
Mustard Leaf	• Longan
Onion Scalling	Lychee
Scallion	• Papaya



MEAT & FISH

- Anchovy
- Mussel
- Shrimp/prawn
- Trout

- Chicken
- Kidney (sheep)
- Mutton

• Dill seed

• Juniper

• Nutmeg

• Black Pepper

• Rosemary

• Fennel seed

• Dry and Fresh Ginger

DAIRY

- Butter
- Basil
- Bay
- Cayenne
- Chili
- Chive seed
- Cinnamon bark
- Clove
- Coriander seed

OILS & CONDIMENTS / BEVERAGE

Brown Sugar	• Malt sugar
Cinnamon	• Vinegar
• Ginger	• Jasmine
• Soya oil	• Wine



PROMOTES THE CIRCULATION OF QI

- Do not overeat
- Avoid heavy goods, sugar and stimulates
- Use more pungent foods

GRAINS

• Oats

FRUIT & VEGETABLES

- Artichoke
- Button Mushroom
- Carrot
- Radish
- Squash
- Watercress
- Grapefruit
- Lemon/lime
- Peach
- Tangerine

MEAT

• Sheep Kidney





HERBS & SPICES

• Aniseed	Horseradish
Basil	Juniper
Caraway	Marjoram
Cardamom	Mustard
Cardamon Cayenne	Nutmeg
CayenneChive leaf	Pepper (black)
Cinnamon bark	Saffron
Clove	Savory
• Dill seed	• Thyme
Fennel seed	Turmeric
Hawthorn	

BEVERAGES

- Chamomile
- Jasmine
- Lime flower
- Peppermint
- Star anise
- Wine





PROMOTES THE CIRCULATION OF BLOOD

- Avoid fatty, sweet and salty foods
- Eat plenty of vegetables, meats and seafoods

GRAINS / NUTS & SEEDS

- Wheat germ
- Chestnut
- Pine kernel

FRUIT & VEGETABLES

Aubergine	Scallion
• Caper	• Turnip
Chinese Chive	• Cherry
Coriander leaf	Lemon/lime
• Leek	• Longan
Mustard leaf	• Lychee
Onion	• Peach
• Pepper	Rhubarb

MEAT & FISH

• Crab	Shrimp/prawn	Chicken Liver
Mussel	Chicken	Sheep Kidney



HERBS & SPICES

- Bay
- Cayenne
- Chili
- Chive leaf
- Dry Ginger
- Hawthorn
- Nutmeg
- Purslane
- Turmeric

OILS & CONDIMENTS

- Soya oil
- Amasake
- Malt sugar
- Vinegar





DRAIN'S WATER

BEANS & GRAINS

- Barley
- Corn
- Rye
- Aduki
- Black bean
- Black Soybean
- Lentil
- Pea

FRUIT & VEGETABLES

- Alfalfa sprout
- Artichoke
- Bamboo shoot
- Celery
- Chicory
- Chinese cabbage
- Dandelion leaf
- Kelp
- Lettuce
- Seaweed
- Watercress
- Grape
- Watermelon





FISH

- Anchovy
- Carp
- Frog
- Mackerel
- Sardine

HERBS & SPICES

- Fenugreek seed
- Horseradish
- Juniper
- Nettle

BEVERAGES

- Dandelion root
- Elderflower
- Tea

COMMON SUPPLEMENTS

• Kelp



REMOVE'S TOXINS

BEANS & GRAINS

- Aduki
- Millet
- Tofu

FRUIT & VEGETABLES

- Alfalfa sprouts
- Artichoke
- Cucumber
- Kelp
- Mungbean sprout
- Mushroom (button)
- Olive
- Onion
- Radish
- Seaweed
- Swiss chard
- Turnip
- Watercress
- Banana
- Blue/bilberry
- Fig
- Lemon/lime
- Rhubarb



FISH

• Herring

HERBS & SPICES

- Black Pepper
- Licorice
- Nettle
- Parsley

OILS & CONDIMENTS

- Sesame oil
- Agar
- Honey
- Salt
- Vinegar

BEVERAGES / COMMON SUPPLEMENTS

- Chrysanthemum
- Tea
- Algae